

Interim Contractor Report #21

11/01/99 - 11/30/99

**Investigation of the Large Scale Evolution and Topology of Coronal Mass  
Ejections in the Solar Wind**

Dr. Pete Riley  
SAIC  
10260 Campus Point Dr.  
MS E3X  
San Diego, CA 92121

SciberNet, Inc.  
5414 Oberlin Drive, Suite 251  
San Diego, CA 92121

## **Summary of Work**

### **MHD and Hybrid Simulations of CMEs**

During this reporting period we have identified and analyzed a series of low-density intervals in the ACE plasma data, some of which match events previously identified by others in the WIND data set. These WIND events have been associated with a variety of geomagnetic activity at Earth. Although the cause of these events remains unclear at the present, we believe they may represent some type of transient activity akin to coronal mass ejections. In several cases, counter streaming suprathermal electrons were seen in the vicinity of the structures, indicating a closed magnetic field line topology. In some events, a rotation of the magnetic field was observed, suggesting a flux-rope topology. These events are often associated with increased variability in the ratio of doubly ionized helium to protons. Again, this signature is often associated with CMEs. Of course, unlike CMEs, these events are not associated with the expulsion of mass. Nevertheless, the association of many CME-like features is suggestive that the two are related and/or similar causes may responsible for both.

These "density holes" have other unique features. They are often associated with a decrease in temperature. Thus the thermal pressure decreases across the structures. Often, there is not a corresponding increase in magnetic field strength, suggesting that they are not in pressure balance. The speed profiles are often flat, or slightly inclined, indicating expansion. However, this expansion is not sufficiently large to be explained by the expulsion of an initially high-pressure pulse. The speeds are typically low (~400 km/s). The relationship between density, temperature and speed is unusual for unprocessed solar wind. Typically fast, coronal flow is hot and tenuous, whereas slow, equatorial flow is dense and cold.

Using a 3-D MHD model, we have begun to model the structure of the solar corona during the intervals containing these density holes. Although the model provides only a simplified picture of processes in the corona, if regions of slow, tenuous flow are identified, it may lead to a picture of the cause of these structures.

Finally, we made revisions to two manuscripts concerning CME properties in the solar wind.

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503				
1. AGENCY USE ONLY (Leave Blank)	2. REPORT DATE 12/06/99	3. REPORT TYPE AND DATES COVERED Interim Contractor Report, 11/01/99- 11/30/99		
4. TITLE AND SUBTITLE An Investigation of the Large Scale Evolution and Topology of Coronal Mass Ejections in the Solar Wind		5. FUNDING NUMBERS  C: NASW-98007		
6. AUTHOR(S) Dr. Peter Riley				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) SciberNet, Inc. 5414 Oberlin Drive, Suite 251 San Diego, CA 92121		8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) National Aeronautics and Space Administration Goddard Space Flight Center Greenbelt, MD 20771		10. SPONSORING / MONITORING AGENCY REPORT NUMBER		
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Unclassified-Unlimited		12b. DISTRIBUTION CODE		
13. ABSTRACT  This investigation (subcontract Sci-0201-99 of contract NASW-98007) is concerned with the large-scale evolution and topology of Coronal Mass Ejections (CMEs) in the solar wind. During this reporting period we have analyzed a series of low density intervals in the ACE plasma data set that bear many similarities to CMEs. We have begun a series of 3D, MHD coronal models to probe potential causes of these events. We also edited two manuscripts concerning the properties of CMEs in the solar wind. One was re-submitted to the Journal of Geophysical Research.				
14. SUBJECT TERMS Electron, Thermalization, Solar Wind, Planetary Plasma Boundaries			15. NUMBER OF PAGES 1	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT  UL	